Product Data

Weatherproof Microphone Unit - Type 4184

USES:

O Can be used in:

Permanent noise-monitoring systems Semi-permanent noise-monitoring systems Portable noise-monitoring systems

 Noise measurements in most humid and corrosive atmospheres

FEATURES:

O Excellent omni-directional characteristics lead to:

High accuracy with fixed orientation

Less dependancy on the operator's expertise

- O Complies with both IEC 651 Type 1 and ANSI S 1.4-1983 Type 1
- O Fulfils EMC Specifications
- O System noise level typically 25 dB(A)
- O Lower limiting frequency of 4 Hz (-3 dB)
- O Individually calibrated from 20 Hz to 20 kHz
- O Charge Injection Calibration facility
- O Built-in Test Sound Source (at 1 kHz)
- O Low electrical output impedance
- O Can be used with most Brüel & Kjær measuring amplifiers and frequency analyzers
- O Rain protected according to IEC 529 IP44

The Weatherproof Microphone Unit Type 4184 is for use in permanent, semipermanent or portable noise-monitoring systems. The unit can be used in most humid and corrosive atmospheres as the casing is made completely of stainless steel and it has a built-in protection system against humidity. Type 4184 complies with standards IEC 651 Type 1 and 1.4-1983 ANSI S Type 1. The greatest attribute of Type 4184 is its excellent omni-directional characteristics. It is fully rotational about its vertical axis without any undesirable

Description

The Weatherproof Microphone Unit Type 4184 (see Fig. 1) consists of three main sections. The upper section comprises the windscreen with windscreen holder, the probe tip and the probe tube.

The middle section contains the microphone, the preamplifier, the impedance matching tubes, the circuit board comprising a filter and cable driver, the built-in test sound source and its transmission tube. The impedance matching tube system comprises four tubes of specific lengths. The test sound source consists of two miniature loudspeakers and a transmission tube which feeds the signal reflections from its casing affecting the noise measurements being undertaken.

Type 4184 is based on a probe tube system which has allowed the microphone cartridge to be installed within the casing of the unit itself. This ensures that the microphone is afforded rain protection according to Standard IEC 529 IP44.

Each Type 4184 is individually calibrated and is delivered with a calibration chart giving the frequency responses.

to a point below the mouth of the probe tube.

The lower section contains the dehumidifier system and a Brüel & Kjær 7-pin microphone plug.

Type 4184 can be fixed to either a pole for use in permanent outdoor noise-monitoring systems or to a tripod for use in semi-permanent or portable noise-monitoring systems. An adapter for pole-mounting of Type 4184 is included as an accessory.

When Type 4184 is used in a permanent set-up, there is nobody to optimize the orientation of the unit for maximum accuracy. Therefore, the variation of sensitivity for different orientations must be small, as proved by the fulfillment of both IEC and ANSI standards.



Brüel & Kjær



Fig.1 Schematic representation of the Weatherproof Microphone Unit Type 4184

Windscreen

The windscreen (see Fig. 2) comprises two parts. One is the windscreen holder and the other is the windscreen itself. The windscreen is made of specially prepared polyurethane foam. The windscreen holder comprises three steel rods to hold the screen in position and these protrude above the top as spikes to prevent birds from perching.

It is essential that the Weatherproof Microphone Unit Type 4184 is used with the windscreen and winscreen holder to ensure that correct results are obtained.

Probe Tip

The probe tip (see Fig. 2) provides excellent omni-directional characteristics when making noise measurements. It also helps to protect the probe from rain.

Probe Tube System

Type 4184 is based on a probe tube system. The probe tube is housed inside the test sound source transmission tube onto which the probe tip is screwed. A removable protection tube and protection cap ensure that damage to the probe tip does not occur during transportation. When calibration of the system as a whole is required, the protection tube doubles as a sound calibrator adaptor for use with Pistonphone Type 4228.

Microphone

Type 4184 uses a measurement microphone cartridge similar to Type 4134. The construction of this microphone type minimizes variations in sensitivity with temperature changes.

Preamplifier

The preamplifier consists of an input stage and an output stage giving a low output impedance. It has Charge Injection Calibration (CIC) which allows monitoring of the complete measuring system.

Casing

The casing of Type 4184 is made of stainless steel to ensure protection from corrosion. The streamline design of the casing minimizes any reflections which can occur during measurements and as a result interfere with the sound field around the unit. The casing can be fitted to a tripod or fixed to a pole using respectively the tripod adaptor tube or the pole adaptor. The pole adaptor is included as an accessory. The microphone cable is fed down the inside of the pole itself when Type 4184 is pole-mounted.

Dehumidifier

Two small bags of silica gel are stored in the lower section of Type 4184 unit for dehumidifying purposes. There is a small window on the side of the unit casing containing indicator paper to enable any change in moisture content to be monitored. The paper is set to change colour at 50% relative humidity. The window is protected by a stainless steel cover. The silica gel contained in the two bags is normally sufficient for two years protection but after this time the bags should be



Fig.2 Windscreen UA 1070 with Windscreen Holder UA 1071 and Probe Tip

replaced with either new or redried bags to ensure continued protection.

EMC

Type 4184 complies with EMC (electromagnetic compatibility) requirements specified in EN 50082–1 (residential, commercial and light industry) as well as in EN 50082–2 (industrial environment). These are generic European standards for noise immunity, to ensure that electrical instruments are not disturbed by other electrical appliances. To get the full benefit of this certification, the microphone unit must be connected to an instrument that also complies with EMC requirements.

Calibration and Verification

Individual Factory Calibration

Each Weatherproof Microphone Unit Type 4184 is individually calibrated and supplied with a calibration chart (see Fig. 3) showing the frequency responses.

Pistonphone Calibration

For accurate calibration of the complete system including the microphone, either in the laboratory or in the field, the Pistonphone Type 4228 can be used. This calibrator is battery operated and is easy to use. It produces a nominal sound pressure level of 124 dB (± 0.2 dB) at 250 Hz and 1013 mbar. The calibrator fits directly onto the protection tube.

Charge Injection Calibration

CIC is a patented technique which is a very reliable way of remote monitoring the function of the entire measurement set-up including the microphone, preamplifier and connecting cable. The actual attenuation of the return signal relative to the calibration signal is indicated on the calibration chart.

Built-in Test Sound Source

The test sound source comprises two miniature loudspeakers. The signal from the test sound source is fed to the probe tube via the transmission tube. The transmission tube is vented for static-pressure equalization purposes.

The built-in test sound source produces a way of monitoring the probe tube system and hence gives an indication of whether the system is in need of service.

Capacitive Loading

Frequency Response

The capacitive load of extension cables on the output of the Weatherproof Microphone Unit Type 4184 influences the frequency response and the upper distortion limit. The influence on the upper distortion limit is dealt with in the following section. The curve given in Fig. 4 shows the influence on the high fequency cutoff at different load capacitances corresponding to the extension cables. Table 1 gives the lengths and capacitances of the extension cables availableOutput Characteristics

Due to their capacitive load, a high current is required to drive long cables at high frequencies and high sound pressure levels. The signal will be distorted at the upper current limit for Type 4184. Fig. 5 shows, for a typical unit, the sound pressure level



Fig.3 Calibration chart showing typical free-field, random-incidence and probe frequency response characteristics

as a function of frequency at which 3% distortion occurs for various lengths of cables.

Examples of Use

A good example of a use of the Weatherproof Microphone Type 4184 is in the Noise-monitoring Terminal Type 3543.

When Type 4184 is used as part of a portable noise-monitoring system, the measurement accuracy is less dependant on the operators expertise. This is due to the excellent omni-directional characteristics of the unit.

Extension AO 0027 AO 0028 AO 0029 Cable 10 m 30 m 3 m Length (10 ft.) (33 ft.) (100 ft.) 9 mm 6 mm 9 mm Diameter (1/4") (3/8") (³/8") Capacitanceto ground of the 300 pF 570 pF 1700 pF sianal (100 pF/m) (57 pF/m) (57 pF/m) conductor

Table 1ExtensionCablesAO 0027,AO 0028and AO 0029



Fig. 4 Upper frequency limit (-1 dB) as a function of load (extension cable length)



Fig. 5 Upper limit of dynamic range (3% distortion) due to various cable loads at the output terminals as a function of frequency

Specifications 4184*

PRESSURE RESPONSE: In accordance with IEC 651 Type 1 (ref. direction 90° to probe axis) and ANSIS1.4-1983 Type 1 250 Hz ±0 dB (ref.)	DEHUMIDIFIER: Contains silica gel which is replaceable. There is a visible indication of the condition of the silica gel.			
20 Hz to 5 kHz	Dimensions and Weight PROBE DIAMETER (at microphone slit): 7.5 mm (0.3") PROBE LENGTH (from cone): 94.0 mm (3.7") HOUSING DIAMETER: 50.0 mm (2") TOTAL VISIBLE LENGTH (pole mounted): 622.0 mm (24.8") WEIGHT (excluding tripod mounting adap- tor): 2.1 kg (4.6 lbs) TRIPOD-MOUNTING THREAD: 3/s" 16 UNC or 1/4" 16 UNC (modified DIN 4503) COMPLIANCE WITH STANDARDS:			
< 33 dB (LIN. 22.5 HZ to 22.5 KHZ) ACOUSTICAL PROBE TUBE IMPEDANCE: 5×10^6 Ns/m ⁵ ELECTRICAL OUTPUT IMPEDANCE:	CE	CE-mark indicates complia		
From preamplifier: <50 Ω OUTPUT CURRENT: >1.5 mA CHARGE INJECTION CALIBRATION [†] :	Safety	EN 61010-1 and IEC 1010 measurement, control and		
Max. $10 \vee (RMS)$ TEST SOURCE (1 kHz): SPL ($20 \circ C$ ($68 \circ F$)): $92 dB \pm 4 dB$ SPL ($20 \circ C$ ($68 \circ F$)) is given individually ($\pm 1.5 dB$) SPL (-10 to $\pm 50 \circ C$ (14 to $122 \circ F$)): SPL ($20 \circ C$ ($68 \circ F$)) $\pm 3 dB$ Typical SPL curve is given for the range $-40 \circ C$ to $50 \circ C$ (-40 to $122 \circ F$), (see manual) Environmental HUMIDITY RANGE: $<100\%$ RH. Maximum humidity as at $40 \circ C$ ($104 \circ \Phi$) and 90% RH HUMIDITY INFLUENCE (at $250 Hz$, $20 \circ C$ ($68 \circ \Phi$): $<0.1 dB$ TEMPERATURE RANGE FOR $\pm 0.5 dB$ ($250 Hz$): $-10 to \pm 50 \circ C re 20 \circ C (14 \circ F to 122 \circ F re 68 \circ F)$	EMC Emission	EN 50081-1: Generic emis light industry. EN 50081-2: Generic emis CISPR 22: Radio disturban equipment. Class B Limits FCC Rules, Part 15: Comp		
	EMC Immunity	EN 50082-1: Generic imm light industry. EN 50082-2: Generic imm Note 1: The above is guard sheet only.		
	Temperature	IEC 68–2–1 & IEC 68–2–2 Operating Temperature: –4 Storage Temperature: –40 IEC 68–2–14: Change of		
AMBIENT TEMPERATURE COEFFICIENT	Humidity	IEC 68-2-3: Damp Heat:		
-0.005 dB/°C (in the range -10°C to +50°C) (14°F to 122°F) AMBIENT PRESSURE COEFFICIENT (250 Hz, 101.3 kPa): -0.006 dB/kPa VIBRATION SENSITIVITY (<60 Hz): Max. 74 dB SPL for 1 ms ⁻² or 0.1 Pa/ms ⁻² MAGNETIC SENSITIVITY: Typically 34 dB SPL, max. 40 dB SPL at 50 Hz	Mechanical	Non-operating: IEC 68-2-6: Vibration: 0.3 IEC 68-2-27: Shock: 1000 IEC 68-2-29: Bump: 1000		
	Reliability	MIL-HDBK 217 F, GB (Par (max. 0.5% errors/1000 h)		
and 80 A/m (worst direction)	Enclosure	IEC 529 (1989): Protection		
'		-		

Ordering Information

Type 4184 Includes the UA 1072:	Weatherproof Microphone Unit • following accessories: Protection Tube (also Sound	QA 0177: QA 0178: JE 0002:	Spanner Pin Wrench Adapter for preamplifier	Type 4231: UA 1112:	Sound Level Calibrator Tripod Adaptor Tube and Base
	Calibrator Adaptor)			Microphone	Preamplifier Extension Cables:
UA 1073:	Protection Cap			AO 0027:	Brüel & Kjær Microphone
UA 1046:	4×Dehumidifier Bag	Optional	Accessories		Extension Cable, (3m)
UA 1071:	Windscreen Holder with Anti-bird Spikes	•••••••		AO 0028:	Similar to AO 0027 but double screen, (10 m)
UA 1070:	Windscreen (1 extra included)	Type 5935:	Microphone Power Supply	AO 0029:	Similar to AO 0028, (30 m)
DB 3068:	Pole Adaptor	Type 4228:	Pistonphone		
		1		I	

Brüel&Kjær reserves the right to change specifications and accessories without notice



HEADQUARTERS: DK-2850 Nærum · Denmark · Telephone: +4545800500 · Fax: +4545801405 · http://www.bksv.com · e-mail: info@bksv.com Australia (02)9450-2066 · Austria 0043-1-8657400 · Brazil (011)5182-8166 · Canada (514)695-8225 · China (86) 1068029906 Czech Republic 02-67021100 · Finland (0)9-755 950 · France (01)69907100 · Germany 06103/7335-0 · Hong Kong 25487486 · Hungary (1)2158305 Ireland (01)803 7600 · Italy 025768061 · Japan 03-3779-8617 · Republic of Korea (02)3473-0605 · Netherlands (31)38 559290 · Norway 66771155 Poland (22)858 9392 · Portugal (1)4711453 · Singapore (65) 377-4512 · Slovak Republic 421254430701 · Spain (91)6590820 · Sweden (08)4498600 Switzerland (01)880 703 5 · Taiwan (02)7139303 · United Kingdom (0) 1438 739 000 · USA 800 332 2040 Local representatives and service organisations worldwide

POLE ADAPTOR THREAD: G 11/2" (ISO 228/1)

Note: All values are typical at 20°C (68°F), unless measurement uncertainty or tolerance field is specified. All uncertainty values are specified at 2σ (i.e. expanded uncertainty using a coverage factor of 2)

* Patented. The probe tube system of Type 4184 is patented in several countries. US Patent No.

5.136.655 [†] Patented. The Charge Injection Calibration technique is patented according to US Patent No. 5.400.297

CE	CE-mark indicates compliance with: EMC Directive.
Safety	EN 61010-1 and IEC 1010-1: Safety requirements for electrical equipment for measurement, control and laboratory use.
EMC Emission	EN 50081–1: Generic emission standard. Part 1: Residential, commercial and light industry. EN 50081–2: Generic emission standard. Part 2: Industrial environment. CISPR 22: Radio disturbance characteristics of information technology equipment. Class B Limits. FCC Rules, Part 15: Complies with the limits for a Class B digital device.
EMC Immunity	EN 50082–1: Generic immunity standard. Part 1: Residential, commercial and light industry. EN 50082–2: Generic immunity standard. Part 2: Industrial environment. Note 1: The above is guaranteed using accessories listed in this Product Data sheet only.
Temperature	IEC 68–2–1 & IEC 68–2–2: Environmental Testing. Cold and Dry Heat. Operating Temperature: -40 to +50°C (-40 to +122°F), (see manual) Storage Temperature: -40°C to +70°C (-40 to +158°F) IEC 68–2–14: Change of Temperature: -10 to +55°C (2 cycles, 1°C/min.)
Humidity	IEC 68-2-3: Damp Heat: 90% RH (non-condensing at 40 °C (104 °F))
Mechanical	Non-operating: IEC 68-2-6: Vibration: 0.3 mm, 20 m/s ² , 10-500 Hz IEC 68-2-27: Shock: 1000 m/s ² IEC 68-2-29: Bump: 1000 bumps at 250 m/s ²
Reliability	MIL-HDBK 217 F, GB (Part-stress): MTBF >200000 hours (max. 0.5% errors/1000 h)
Enclosure	IEC 529 (1989): Protection provided by enclosures: IP 44